



© AODES BRAND



AODESUSA.COM



[AODESUSA](https://www.facebook.com/AODESUSA)



[AODESUSA](https://twitter.com/AODESUSA)



[@AODESUSA](https://www.instagram.com/AODESUSA)



[AODESUSA](https://www.tiktok.com/@AODESUSA)



[AODESUSA](https://www.youtube.com/AODESUSA)



INFO@AODES.COM

AODES USA INC

Add: 5549 STOCKDALE COURT, Jurupa Valley, CA 92509

Tel: (+001)951 999 9180 Email: info@aodes.com

Website: www.aodesusa.com

BEYOND ROADS

ALL TERRAIN



AODES VEHICLES
LINEUP

ALL TERRAIN


ATV

- PATHCROSS 550 S/L
- PATHCROSS 1000 MUD LX

UTV

- WORKCROSS 550/650-3&HV
- WORKCROSS 1000 -3/-6 HV
- WORKCROSS 1000-3/-6 MUD (SNORKEL LIFT UP)
- WORKCROSS 1000-3/-6 Texas Bounty Edition


INTEGRATED
REAR AXLE ENGINE
1000 V-TWIN ENGINE



650
V-TWIN ENGINE



850
V-TWIN ENGINE



1000
V-TWIN ENGINE

V-TWIN ENGINE SERIES

1,000 INNOVATIONS

More power, less noise, and even less maintenance: AODES V-Twin engine family 650, 800, 1000cc and integrated rear axle 1000 engine equipped in ATV and UTV of Pathcross and Workcross Series are some of the leading power source in the industry for performance and reliability, which will offers you an answer to every work, recreation, sports and adventure off road situation.

CORE COMPETENCE





BEYOND ROADS

AODES ATV

PATHCROSS

OVERVIEW

PATHCROSS 550 S / L

PATHCROSS 1000 MUD LX

Our AODES ATV lineup will give you the confidence to travel anywhere, from light recreational trails to the most challenging terrain. Whether you're looking for an agile entry-level machine or maximum performance, we've got you covered. Electronic power steering comes standard across all models, making even difficult trails manageable and long rides enjoyable. Factory-installed winches provide added capability for navigating tough terrain or assisting fellow riders.



PATHCROSS 550 S/L

EXCEPTIONAL VERSATILITY FOR ALL ADVENTURES

With a powerful 495.3cc single-cylinder engine and a ground clearance of 265mm, the Pathcross 550 is designed to tackle rugged trails and diverse terrains with ease. Its advanced suspension system ensures smooth handling, while the electronic fuel injection maximizes efficiency and performance.

BUILT FOR POWER AND UTILITY

Offering a towing capacity of 600kg and a rack capacity of up to 60kg, the Pathcross 550 is not only powerful but also practical for work and recreation. The model's lightweight yet durable design ensures stability and reliability, making it a perfect companion for demanding tasks and thrilling adventures.



PATHCROSS 1000 MUD LX

OVERVIEW

PATHCROSS 1000 MUD LX

Introducing the PATHCROSS 1000 Mud LX | MUD PRO Edition - the ultimate specialized variant engineered for extreme terrain. This model combines the robust 976cc platform with enhanced MUD PRO features including elevated 334mm ground clearance, professional 30-inch mud tires, and reinforced sealing protection. The integrated 3500lb winch and optimized weight distribution deliver unmatched performance in deep mud and challenging conditions, establishing a new standard for professional-grade utility vehicles.

PATHCROSS 1000 MUD LX

EXTREME MUD-CONQUERING CAPABILITY

Equipped with massive 30-inch tires and a towering 334mm ground clearance, this model dominates deep mud and extreme terrain. The aggressive tread pattern and optimized 1010mm front tread provide exceptional flotation and traction, while the robust 976cc V-twin engine delivers relentless 101N-m torque to power through challenging obstacles.

HEAVY-DUTY PAYLOAD CHAMPION

Engineered for serious work, it boasts a massive 460kg carrying capacity and reinforced racks supporting 40kg front/rear. With an 800kg towing capacity and standard 3500lb winch, it handles heavy loads and recovery tasks effortlessly, making it ideal for farming, logging, and off-grid logistics.





BEYOND ROADS

AODES UTV



WORKCROSS

OVERVIEW

WORKCROSS

550/650/1000 -3/-6 HV

If you are looking for a multifunctional side-by-side vehicle that is capable of satisfying all of your expectations, you should not go any further than our brand-new WorkCross series. Packed with torque from our V Twin engine options including 550, 650 and 1000CC, you won't be left behind. You will find that we are taking you beyond roads by giving you options such as heat and air conditioning, complete doors, under-seat storage compartments that can be removed, and Bluetooth radio options. Because Crew Models come in both 1000 CC capacities, there is more than enough space for a family as well as your equipment.

| WORKCROSS 550-3/PRO

Reliable Power for Work & Adventure

Powered by a 495.3cc single-cylinder 4-stroke engine delivering 28kW and 46N·m of torque, it offers smooth, responsive power for both utility work and off-road fun.

Durable Suspension & Ride Comfort

Dual A-arm independent suspension with 200mm/210mm travel and preloaded oil-damped shocks absorb impacts efficiently, delivering a smooth and controlled ride across uneven terrains.

Heavy-Duty Cargo & Towing Capacity

With an 800kg towing capacity, 250kg cargo bed load, and a 3500LBS winch, the Workcross 550 handles farm, forestry, and jobsite duties with ease and reliability.

Robust Design & Long-Range Endurance

Featuring a 35L fuel tank, 650kg curb weight, and 85km/h top speed, it delivers lasting endurance and durability for all-day tasks in diverse environments.





| WORKCROSS 650-3

BUILT TO CONQUER, ENGINEERED FOR COMFORT

Featuring an exceptional 310mm ground clearance and a robust 600kg (1320 lbs) towing capacity, the Workcross 650 is engineered for extreme challenges. Its double A-arm independent suspension ensures superior stability, while the 26" steel wheels and substantial 454kg (1000 lbs) cargo bed capacity deliver unmatched utility performance. Designed for both demanding work and adventurous exploration, this UTV provides reliable comfort across all terrains.



| WORKCROSS 650-3 HV

BUILT TO CONQUER, ENGINEERED FOR COMFORT

Boasting excellent ground clearance and robust towing capacity, it is engineered for tackling extreme challenges. Its double A-arm independent suspension ensures exceptional stability, while its substantial cargo bed capacity delivers unparalleled utility performance. This Utility Task Vehicle (UTV) meets both the demands of high-difficulty work and adventurous exploration, providing a stable and comfortable riding experience across all types of terrain.





| WORKCROSS 1000-3

STANDARD CONFIGURATION

The front and back windshields are now made of tempered glass and have a new look. The front windshield has a wiper and a defroster so that you can see clearly even on rainy days.



| WORKCROSS 1000-3 HV

INTELLIGENT THERMOSTAT

Even in the worst weather, you and your passengers will be comfortable with heating and cooling. Your AODES gives you the most comfortable place to drive and makes driving more fun.





WORKCROSS 1000-6

OPTIMIZED DESIGNING

The door is equipped with a half-door state and a fully-closed state. The windshield glass lift adopts two modes of manual and electric control. Fully consider various situations when driving.



WORKCROSS 1000-6 HV

PREMIUM DRIVER EXPERIENCE

The interior of the vehicle is totally sealed, and it is equipped with an air conditioning and heating system to make the ride more comfortable on bumpy roads. Even if the window is closed, you can still take in the clean, crisp air that comes from outside.





WORKCROSS

OVERVIEW

WORKCROSS

1000-3/-6 MUD (SNORKEL LIFT UP)

1000-3/-6 TEXAS BOUNTY EDITION

You will find that we are taking you beyond roads by giving you options such as heat and air conditioning, complete doors, under-seat storage compartments that can be removed, and Bluetooth radio options. Because Crew Models come in both 1000 CC capacities, there is more than enough space for a family as well as your equipment.

WORKCROSS 1000-3 MUD (SNORKEL LIFT UP)

CONFIDENCE ON EVERY TERRAIN

Mud editions with snorkel lift systems are purpose-built for deep mud and extreme off-road environments.



-  Glacier silver
-  Titanium Gray
-  Orange
-  Camo



WORKCROSS 1000-6 MUD (SNORKEL LIFT UP)

CONFIDENCE ON EVERY TERRAIN

Mud editions with snorkel lift systems are purpose-built for deep mud and extreme off-road environments.



-  Glacier silver
-  Titanium Gray
-  Orange
-  Camo





WORKCROSS 1000-3 Texas Bounty Edition

COMFORT THROUGH LONG WORKDAYS

Comfort-focused interior design helps reduce fatigue and improve productivity throughout the workday.

READY FOR ALL CONDITIONS

Select premium editions equipped with integrated HVAC systems provide enhanced comfort for all-season operation.



Glacier silver Radiant Red Black True Timber Titanium Gray



WORKCROSS 1000-3 Texas Bounty Edition

COMFORT THROUGH LONG WORKDAYS

Comfort-focused interior design helps reduce fatigue and improve productivity throughout the workday.

READY FOR ALL CONDITIONS

Select premium editions equipped with integrated HVAC systems provide enhanced comfort for all-season operation.



Glacier silver Radiant Red Black True Timber Titanium Gray





PATHCROSS 550 S/PRO L



PATHCROSS 1000 MUD LX



WORKCROSS 550-3/PRO



WORKCROSS 650-3/HV



WORKCROSS 1000-3/HV



WORKCROSS 1000-6/HV



WORKCROSS 1000-3 MUD (SNORKEL LIFT UP)



WORKCROSS 1000-6 MUD (SNORKEL LIFT UP)



WORKCROSS 1000-3 TEXAS BOUNTY EDITION



WORKCROSS 1000-6 TEXAS BOUNTY EDITION

ENGINE

Engine Type:	Single Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	Single Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke	V-Twin Cylinder, 4-Stroke
Displacement (cc):	495.3 cc	976	495.3	649	976	976	976	976	976	976
Compression Ratio:	91 × 76.2 mm	10.5:1	10.7:1	10.3:1	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1
Fuel System:	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
Max Power Output:	32 kW / 7000 rpm	68.5kw/6500RPM	28kW/6800rpm	39kw/6500RPM	53kw/6500RPM	53kw/6500RPM	53kw/6500RPM	53kw/6500RPM	53kw/6500RPM	53kw/6500RPM
Max Torque:	46 Nm / 5800 rpm	101N.m/5500RPM	46N.m/5800rpm	57N.m/5300RPM	85N.m/5500RPM	85N.m/5500RPM	85N.m/5500RPM	85N.m/5500RPM	85N.m/5500RPM	85N.m/5500RPM
Cooling:	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled
Starter:	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Transmission:	CVT, L-H-N-R-P	CVT, L-H-N-R-P	CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT

SUSPENSION AND WHEELS

Front/Rear Suspension	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent	Double A-Arm Independent
Shocks	Preloaded, Oil Damped	Double Damping Adjustable Gas Shock	Hydraulic Damping Shock	Hydraulic Damping Shock	Hydraulic Damping Shock	Hydraulic Airbag Damping Shock	Hydraulic Airbag Damping Shock	Hydraulic Airbag Damping Shock	Hydraulic Airbag Damping Shock	Hydraulic Airbag Damping Shock
Front Tires	Steel Wheel 25×8-12/Alloy Wheel 27×9-12	Bead Lock Alloy Wheel 30×9-R14	25x8-12/26x9-14	27×9-R14	28×9-R14	28×9-R14	30×9-R14	30×9-R14	30×9-R14	30×10-R14
Rear Tires	Steel Wheel 25×10-12/Alloy Wheel 27×11-12	Bead Lock Alloy Wheel 30×11-R14	25x10-12/26x11-14	27×11-R14	28×11-R14	28×11-R14	30×11-R14	30×11-R14	30×11-R14	30×10-R14
Brakes (Front/Rear)	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L X W X H)	2217×1177×1410mm/2377×1177×1410mm	2450x1246 x1400mm	2910×1460×1993mm	3095×1700×2090mm	3095×1700×2090mm	3995×1700×2090mm	3095×1700×2090mm	3995×1700×2090mm	3095×1700×2090mm	3995×1700×2090mm
Wheel Base	1300mm (1310mm)/1460mm (11470mm)	1508mm	1963mm	2145mm	2145mm	2970mm	2145mm	2970mm	2145mm	2970mm
Front Tread	969mm	1010mm	1208mm	1340mm	1340mm	1340mm	1340mm	1340mm	1340mm	1340mm
Rear Tread	919mm	970mm	1098mm	1293mm	1293mm	1293mm	1293mm	1293mm	1293mm	1293mm
Ground Clearance	265mm (321mm)	334mm	275mm	310mm when 27"	310mm when 27"	310mm when 27"	348mm when 30"	348mm when 30"	348mm when 30"	348mm when 30"
Cargo Bed Dump Type	N/A	N/A	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Rack/Cargo Bed Capacity	30kgs/R:60kgs	40kgs	55lbs (250kgs)	750lbs (350KG)	750lbs (350KG)	750lbs (350KG)	750lbs (350KG)	750lbs (350KG)	750lbs (350KG)	750lbs (350KG)
Person Capacity	2	2	3	3	3	6	3	6	3	6
Fuel Capacity	22L	22L	36L	48 L	48 L	48 L	48 L	48 L	48 L	48 L
Curb Weight	400KG	524kgs	1433lbs (650kgs)	1595.4 lbs (725kgs)	1837lbs (835kgs)	2079.5lbs (945kg)	1837lbs (835kgs)	2079.5lbs (945kg)	1949lbs (885kgs)	2335lbs (1060kgs)
Gross Vehicle Weight	650KG	724kgs	N/A	1320 lbs/600kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs
Towing Capacity	260kg/600kg	300kgs/800kgs	N/A	1320 lbs/600kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs	1760 lbs/800kgs