

AODES



SIDE-BY-SIDE & PRODUCT SPEC BOOK
vehicle Specifications, Accessories, and Parts & Maintenance



CONTENTS

PATHCROSS ATVs

PathCross 550-S	04
PathCross 550 PRO-L	05
PATHCROSS 1000 MUD (LX)	06

WORKCROSS UTVs

WORKCROSS 550-3	08
WORKCROSS 550 PRO	09
WorkCross 650-3	10
WorkCross 650-3 HV	11
WORKCROSS 1000-3	12
WORKCROSS 1000-6	13
WORKCROSS 1000-3 HV	14
WORKCROSS 1000-6 HV	15
WORKCROSS 1000-3 MUD (Snorkel Lift Up)	16
WORKCROSS 1000-6 MUD (Snorkel Lift Up)	17
WORKCROSS 1000-3 Texas Bounty Edition	18
WORKCROSS 1000-6 Texas Bounty Edition	19



PATHCROSS ATVs




PATHCROSS 550 S











PACKAGE HIGHLIGHTS

- 3500 LBS Front Winch
- Front Bumper
- Handle Bar Protector
- Standard (7" LCD) Display
- Double A-Arm Independent suspension

STANDARD COLOR

-  Orange
-  Gray
-  Army Green

OPTION PAINTING COLORS

-  Radiant Red
-  Titanium Gray
-  Glacier silver
-  Fire Green
-  Obsidian black
-  Desert Tan
-  True Timber
-  Peral white

OPTION WATER TRANSFER COLOR

-  True Timber camo

ENGINE

Engine Type:	Single Cylinder,4-Stroke
Engine Displacement (cc):	495.3
Compression Ratio:	10.7:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	32kW/7000rpm
Max Torque:	46N.m/5800rpm
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT, L-H-N-R-P

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Preloaded, Oil Damped
Front Tires:	Steel Wheel25×8-12
Rear Tires:	Steel Wheel 25×10-12
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	2217×1177×1410mm
Wheel Base:	1300mm (1310mm)
Front Tread:	969mm
Rear Tread:	919mm
Ground Clearance:	265mm(321mm)
Cargo Bed Dump Type:	N/A
Rack Capacity (Front/Rear):	F:30kgs/R:60kgs
Person Capacity:	2
Fuel Capacity:	22L
Curb Weight:	400kg
Gross Vehicle Weight:	650kg
Towing Capacity:	260kg/600kg
Certification:	EPA
Container Loading:	23PCS/40HQ

PATHCROSS 550 PRO



PACKAGE HIGHLIGHTS

- 3500 LBS Front Winch
- Front Bumper
- Handle Bar Protector
- Standard (7" TFT) Display
- Power Steering (EPS)
- Double A-Arm Independent suspension

STANDARD COLOR

- Orange
- Gray
- Army Green

OPTION PAINTING COLORS

- Radiant Red
- Titanium Gray
- Glacier silver
- Fire Green
- Obsidian black
- Desert Tan
- True Timber
- Peral white

OPTION WATER TRANSFER COLOR

- True Timber camo

ENGINE

Engine Type:	Single Cylinder,4-Stroke
Engine Displacement (cc):	495.3
Compression Ratio:	10.7:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	32kW/7000rpm
Max Torque:	46N.m/5800rpm
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT, L-H-N-R-P

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Preloaded, Oil Damped
Front Tires:	Alloy Wheel 27×9-12
Rear Tires:	Alloy Wheel 27×11-12
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	2377×1177×1410mm
Wheel Base:	1460mm(1470mm)
Front Tread:	969mm
Rear Tread:	919mm
Ground Clearance:	265mm(321mm)
Cargo Bed Dump Type:	N/A
Rack Capacity (Front/Rear):	F:30kgs/R:60kgs
Person Capacity:	2
Fuel Capacity:	22L
Curb Weight:	400kg
Gross Vehicle Weight:	650kg
Towing Capacity:	260kg/600kg
Certification:	EPA
Container Loading:	21PCS/40HQ

PATHCROSS 1000 MUD (LX)











PACKAGE HIGHLIGHTS

976 cc V-Twin EFI Engine
 EPS (Electric Power Steering)
 3,500 lbs Front Winch
 Beadlock Alloy Wheels with 30" Mud Tires
 10.25" TFT Display
 Double Damping Adjustable Gas Shocks
 Bottom Board Guard (8")

STANDARD COLOR

Black  Gray 

OPTION PAINTING COLORS

Radiant Red  Titanium Gray 
 Glacier silver  Fire Green 
 Obsidian black  Desert Tan 
 True Timber  Peral white 

OPTION WATER TRANSFER COLOR

True Timber camo 

ENGINE

Engine Type:	V-Twin Cylinder,4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	68.5kw/6500RPM
Max Torque:	101N.m/5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT.L-H-N-R-P

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Double Damping Adjustable Gas Shock
Front Tires:	Bead Lock Alloy Wheel 30×9-R14
Rear Tires:	Bead Lock Alloy Wheel 30×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	2450×1246×1400mm
Wheel Base:	1508mm
Front Tread:	1010mm
Rear Tread:	970mm
Ground Clearance:	334mm
Cargo Bed Dump Type:	N/A
Rack Capacity (Front/Rear):	40kgs
Person Capacity:	2
Fuel Capacity:	22L
Curb Weight:	524kgs
Gross Vehicle Weight:	724kgs
Towing Capacity:	300kgs/800kgs
Certification:	EPA
Container Loading:	4PCS/20FT,16PCS/40HQ



WORKCROSS UTVs

WORKCROSS 550-3



PACKAGE HIGHLIGHTS

495 cc Single-Cylinder EFI Engine
 EPS (Electric Power Steering)
 Hydraulic Damping Shocks
 25" Off-Road Tires on 12" Steel Rims
 Compact 3-Person Seating with Black Leather Seats
 Net Doors for Safety

COLORS

■ Radiant Red ■ Titanium Gray
■ Silver ■ Army Green
■ Black ■ Orange

ENGINE

Engine Type:	Single Cylinder,4-Stroke
Engine Displacement (cc):	495.3
Compression Ratio:	10.7:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	28kW/6800rpm
Max Torque:	46N.m/5800rpm
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Damping Shock
Front Tires:	25×8-12
Rear Tires:	25×10-12
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	2910×1460×1993mm
Wheel Base:	1963mm
Front Tread:	1208mm
Rear Tread:	1098mm
Ground Clearance:	275mm
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	551lbs (250kgs)
Person Capacity:	2
Fuel Capacity:	36L
Curb Weight:	1433lbs(650kgs)
Towing Capacity:	N/A
Certification:	EPA

WORKCROSS 550 PRO



PACKAGE HIGHLIGHTS

495 cc Single-Cylinder EFI Engine
 EPS (Electric Power Steering)
 Hydraulic Damping Shocks
 Flip Poly Windshield (w/o wiper)
 26" Off-Road Tires on 14" Alloy Rims
 Compact 3-Person Seating with Black Leather Seats
 Half Doors

COLORS

■ Radiant Red ■ Titanium Gray
■ Silver ■ Army Green
■ Black ■ Orange

ENGINE

Engine Type:	Single Cylinder, 4-Stroke
Engine Displacement (cc):	495.3
Compression Ratio:	10.7:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	28kW/6800rpm
Max Torque:	46N.m/5800rpm
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Damping Shock
Front Tires:	26×9-14
Rear Tires:	26×11-14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	2910×1460×1993mm
Wheel Base:	1963mm
Front Tread:	1208mm
Rear Tread:	1098mm
Ground Clearance:	275mm
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	551lbs (250kgs)
Person Capacity:	2
Fuel Capacity:	36L
Curb Weight:	1433lbs (650kgs)
Towing Capacity:	N/A
Certification:	EPA

WORKCROSS 650-3



PACKAGE HIGHLIGHTS

649 cc V-Twin Cylinder, 4-Stroke Engine
 CVT Transmission
 Electric Power Steering (EPS)
 3,500 lbs Front Winch with Wireless Controller
 Flip Glass Windshield (w/o Wiper)
 Rear Full Windshield (N/A)
 Heavy-Duty Front & Rear Bumpers
 14" Alloy Rims with 27" off-road tire
 Standard Black Leather Seats (3-Person)
 Half Door with Safety System
 HV Electrical System (Enhanced Power & Lighting)
 Inner Soft Ceiling + Top Reading Light

COLORS

Radiant Red
 Titanium Gray
 Glacier silver
 True Timber

ENGINE

Engine Type:	V-Twin Cylinder, 4-Stroke
Engine Displacement (cc):	649
Compression Ratio:	10.3:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	39kw/6500RPM
Max Torque:	57N.m5300RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/ BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Damping Shock
Front Tires:	27×9-R14
Rear Tires:	27×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	310mm when 27"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48 L
Curb Weight:	1595.4 lbs (725kgs)
Towing Capacity:	1320 lbs/600kgs
Certification:	EPA

WORKCROSS 650-3 HV



PACKAGE HIGHLIGHTS

649 cc V-Twin Cylinder, 4-Stroke Engine
 CVT Transmission
 Electric Power Steering (EPS)
 3,500 lbs Front Winch with Wireless Controller
 Flip Glass window (w/o wiper)
 Rear Full Windshield (Standard)
 Heavy-Duty Front & Rear Bumpers
 14" Alloy Rims with 27" Off-Road Tires
 Standard Black Leather Seats (3-Person)
 Full Doors with Safety System
 HV Electrical System (Enhanced Power & Lighting)
 Inner Soft Ceiling + Top Reading Light

COLORS

 Radiant Red  Titanium Gray
 Glacier silver  True Timber

ENGINE

Engine Type:	V-Twin Cylinder, 4-Stroke
Engine Displacement (cc):	649
Compression Ratio:	10.3:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	39kw/6500RPM
Max Torque:	57N.m5300RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Gas Shock
Front Tires:	27×9-14
Rear Tires:	27×11-14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	310mm when 27"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48 L
Curb Weight:	1595.4 lbs (725kgs)
Towing Capacity:	1320 lbs/600kgs
Certification:	EPA

WORKCROSS 1000-3



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder, 4-Stroke Engine
 CVT Transmission
 Electric Power Steering (EPS)
 3,500 lbs Front Winch with Wireless Controller
 Regular needle style Display
 Flip Glass Windshield (w/o wiper)
 Heavy-Duty Front & Rear Bumpers
 14" Alloy Rims with 28" Off-Road Tires
 Double-Colored Seats (3-Person)
 Half Door

COLORS

Radiant Red
 Titanium Gray
 Glacier silver
 True Timber

ENGINE

Engine Type:	V-Twin Cylinder, 4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	28×9-R14
Rear Tires:	28×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	310mm when 27"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	1750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48L
Curb Weight:	1837lbs(835kgs)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-6



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder, 4-Stroke
 CVT Transmission
 3,500 lbs Front Winch with Wireless Controller
 Regular needle style Display
 Flip Glass Windshield (w/o wiper)
 Heavy-Duty Front & Bumpers
 14" Alloy Rims with 28" Off-Road Tire

COLORS

Radiant Red
 Titanium Gray
 Glacier silver
 True Timber

ENGINE

Engine Type:	V-Twin Cylinder, 4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m/5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	28×9-R14
Rear Tires:	28×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3995×1700×2090mm
Wheel Base:	2970mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	310mm when 27"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	6
Fuel Capacity:	48 L
Curb Weight:	2079.5lbs(945kg)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-3 HV



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder, 4-Stroke Engine
 CVT Transmission
 Electric Power Steering (EPS)
 4,500 lbs Front Winch with Wireless Controller
 6.8 TFT display (touch screen)
 Front & Rear Cameras
 Radio with Speakers (Standard)
 Flip Glass window with wiper
 Heavy-Duty Front & Rear Bumpers
 14" Alloy Rims with 28" Off-Road Tire
 Double-Colored Seats (3-Person)
 Full Door

COLORS

 Radiant Red  Titanium Gray
 Glacier silver  True Timber

ENGINE

Engine Type:	V-Twin Cylinder, 4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	28×9-R14
Rear Tires:	28×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	310mm when 27"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48L
Curb Weight:	1837lbs(835kgs)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-6 HV



PACKAGE HIGHLIGHTS

976 cc V-Twin EFI Engine
 EPS (Electric Power Steering)
 4,500 lbs Front Winch
 Snorkel Lift Up Kit (Standard)
 8 mm Bottom Protection Plate
 28" Mud Tires on 14" Beadlock Alloy Rims
 Flip Glass Windshield with Wiper + Rear Full Windshield
 6-Person Seating with Double-Colored Seats
 Full Door

COLORS

■ Radiant Red ■ Titanium Gray
■ Glacier silver ■ True Timber
■ Black

ENGINE

<p>Engine Type: Engine Displacement (cc): Compression Ratio: Fuel System: Max Power Output: Max Torque: Cooling: Starter: Transmission:</p>	<p>V-Twin Cylinder,4-Stroke 976 10.5:1 Electronic Fuel Injection 53kw/6500RPM 85N.m/5500RPM Liquid Cooled Electric CVT</p>
---	--

SUSPENSION/ WHEELS/BRAKES

<p>Front/Rear Suspension: Shocks: Front Tires: Rear Tires: Brakes (Front/Rear):</p>	<p>Double A-Arm Independent Hydraulic Airbag Damping Shock 28×9-R14 28×11-R14 Disc brake</p>
---	--

DIMENSIONS AND WEIGHT

<p>Overall Vehicle (L×W×H): Wheel Base: Front Tread: Rear Tread: Ground Clearance: Cargo Bed Dump Type: Rack Capacity (Front/Rear): Person Capacity: Fuel Capacity: Curb Weight: Towing Capacity: Certification:</p>	<p>3995×1700×2090mm 2970mm 1340mm 1293mm 310mm when 27" Manual 750lbs(350KG) 6 48 L 2079.5lbs(945kg) 1760 lbs/800kgs EPA</p>
---	---

WORKCROSS 1000-3 MUD



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder,4-Stroke
 EPS (Electric Power Steering)
 4,500 lbs Front Winch
 Snorkel Lift Up Kit (Standard)
 8 mm Bottom Protection Plate
 30" Mud Tires on 14" Bead lock Alloy Rims
 Flip Glass Windshield with Wiper
 Half Doors + Double-Colored Seats
 (3-Person)

COLORS

■ Radiant Red ■ Titanium Gray
■ Glacier silver ■ Camo
■ Orange

ENGINE

Engine Type:	V-Twin Cylinder,4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	30×9-R14
Rear Tires:	30×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	348mm when 30"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48L
Curb Weight:	1837lbs(835kgs)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-6 MUD



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder,4-Stroke
 EPS (Electric Power Steering)
 4,500 lbs Front Winch
 Snorkel Lift Up Kit (Standard)
 8 mm Bottom Protection Plate
 30" Mud Tire on 14" Bead lock Alloy Rims
 Flip Glass Windshield with Wiper + Rear Full Windshield
 6-Person Seating with Double-Colored Seats
 Half Door

COLORS

■ Radiant Red ■ Titanium Gray
■ Glacier silver ■ Camo
■ Orange

ENGINE

Engine Type:	V-Twin Cylinder,4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m/5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	30×9-R14
Rear Tires:	30×11-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3995×1700×2090mm
Wheel Base:	2970mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	348mm when 30"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	6
Fuel Capacity:	48 L
Curb Weight:	2079.5lbs(945kg)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-3 TEXAS BOUNTY EDITION



PACKAGE HIGHLIGHTS

976 cc V-Twin Cylinder,4-Stroke
 EPS (Electric Power Steering)
 4,500 lbs Front Winch
 HVAC System (Heating & Cooling)
 Flip Glass Windshield with Wiper + Rear Full Windshield
 Special Luxury Brown Leather Seats (3-Person)
 Full Doors for Safety
 30" Off-Road Tire on 14" Black lock Alloy Rims

COLORS

 Radiant Red  Titanium Gray
 Glacier silver  True Timber
 Black

ENGINE

Engine Type:	V-Twin Cylinder,4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m/5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	30×10-R14
Rear Tires:	30×10-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3095×1700×2090mm
Wheel Base:	2145mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	348mm when 30"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	3
Fuel Capacity:	48L
Curb Weight:	1949lbs(885kgs)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

WORKCROSS 1000-6 TEXAS BOUNTY EDITION



PACKAGE HIGHLIGHTS

- 976 cc V-Twin EFI Engine
- EPS (Electric Power Steering)
- 4,500 lbs Front Winch
- HVAC System (Heating & Cooling)
- Flip Glass Windshield with Wiper + Rear Full Windshield
- Special Luxury Brown Leather Seats (6-Person)
- Full Doors with Safety Belts
- 30" Off-Road Tires on 14" Black Beadlock Alloy Rims

COLORS

-  Radiant Red
-  Titanium Gray
-  Glacier silver
-  True Timber
-  Black

ENGINE

Engine Type:	V-Twin Cylinder,4-Stroke
Engine Displacement (cc):	976
Compression Ratio:	10.5:1
Fuel System:	Electronic Fuel Injection
Max Power Output:	53kw/6500RPM
Max Torque:	85N.m/5500RPM
Cooling:	Liquid Cooled
Starter:	Electric
Transmission:	CVT

SUSPENSION/ WHEELS/BRAKES

Front/Rear Suspension:	Double A-Arm Independent
Shocks:	Hydraulic Airbag Damping Shock
Front Tires:	30×10-R14
Rear Tires:	30×10-R14
Brakes (Front/Rear):	Disc brake

DIMENSIONS AND WEIGHT

Overall Vehicle (L×W×H):	3995×1700×2090mm
Wheel Base:	2970mm
Front Tread:	1340mm
Rear Tread:	1293mm
Ground Clearance:	348mm when 30"
Cargo Bed Dump Type:	Manual
Rack Capacity (Front/Rear):	750lbs(350KG)
Person Capacity:	6
Fuel Capacity:	48 L
Curb Weight:	2335lbs(1060kgs)
Towing Capacity:	1760 lbs/800kgs
Certification:	EPA

BEYOND ROADS

© AODES BRAND



AODESUSA.COM



[AODESUSA](https://www.facebook.com/AODESUSA)



[AODESUSA](https://twitter.com/AODESUSA)



[@AODESUSA](https://www.instagram.com/AODESUSA)



[AODES_USA](https://www.tiktok.com/AODES_USA)



[AODESUSA](https://www.youtube.com/AODESUSA)



INFO@AODES.COM

AODES USA INC

Add: 5549 STOCKDALE COURT. Jurupa Valley, CA 92509

Tel: (+001)951 999 9180 Email: info@aodes.com

Website: www.aodesusa.com